| 1.0 | Commercial Product Name and Supplier | | | |
|-------|---|---|-------------------------------------|------------------|
| 1.1 | Commercial product name / designation | Etch-Rite, 38% Phosp | horic Acid Etching Gel | |
| 1.2 | Application / Use | Dental etching gel for u | se by dental professiona | al only. |
| 1.2.2 | SIC | 851 Human health activ | vity | • |
| 1.2.3 | Use Category | 55 | | |
| 1.3 | Manufacturer | | | |
| | Pulpdent Corporation 80 Oakland Street, P.O. Box 780 Watertown, MA 02472 USA | Telephone: 1 617 926-6 Email: Pulpdent@pulpo | 6666; Fax: 1 617 926-62 dent.com | 62 |
| 1.4 | Emergency Telephone Number | 1-800-535-5053 (24 Ho | our Emergency / USA) | |
| 1.5 | Authorized European Representative | Advena Limited Tower Business Centre Tower Street, Swatar, BKR 4013 Malt | | |
| | UK Responsible Person | Advena Limited Pure Offices, Plato Clos Warwick, CV34 6WE U | | |
| | CH Authorized Representative | MedEnvoy Switzerland Gotthardstrasse 28, 63 | | |
| 2.0 | Hazards Identification | | | |
| 2.1 | Classification | | | |
| 2.1.1 | Classification according to Regulation (EC) No. 1272/2008 [CLP] | Hazard Class | Hazard Category | Hazard Statement |
| | | Skin corrosion | 1B | H314 |
| | | Serious eye damage | 1 | H318 |
| 2.1.2 | Classification according to Directive 67/548/EEC (See SECTION 16 for full text of risk phrases) | Corrosive (C); R 34 | ; R 36 / 37 / 38 | |
| 2.2 | GHS Label Elements Hazard Pictograms | | | |

Rev. Date: June 14, 2022



Signal Word: **DANGER**

Restricted to use by dental professional only.

Hazard Statements

H314: Causes severe skin burns and eye damage.

H318: Causes serious eye damage.

Safety Data Sheet

Trade Name: Etch-Rite 38% Phosphoric Acid Etching Gel

Precautionary Statements

P264: Wash hands thoroughly after handling.

P280: Wear protective gloves, clothing and eye/face protection.

P301 + P330 + P331: If swallowed, rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353: If on skin (or hair), remove all contaminated clothing. Rinse skin with water.

P363: Wash contaminated clothing before reuse.

P310: Immediately call a Poison Center or doctor/physician.

P305 + P351 + P338: If in eyes, rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing until pH of tears is 7.

| 3.0 | Composition | | | | |
|--------------------------------|---|---|---|--|--|
| 3.1 | Chemical characterization of the preparation Phosphoric acid in a gel matrix. | | | | |
| 3.2 | Hazardous ingredients | | | | |
| | CAS Number | Name of the Ingredient | Concentration | Classification per 67/548/EEC | Classification per Regulation (EC) No.1272/2008 (CLP). |
| | 7664-38-2 | Phosphoric Acid | 38% | Corrosive (C) R34; R36/ 37/38 | Skin corrosion; 1B Eye damage, 1 |
| 4.0 | First Aid Mea | sures | | | |
| 4.1 | General Inform | nation | effects | May cause burns or irritation to eyes, skin or mucous membranes. Acute effects may be delayed. Show this safety data sheet to medical personnel. Get medical attention in case of uncertainty. | |
| 4.2 | Eye Contact | | | Remove contact lenses. Keep eyelids apart and flush with running water for 15+ minutes or until pH of tears is 7. Get medical attention. | |
| 4.3 | Skin Contact | | | Immediately flush skin with running water for 15 minutes. Get medical attention for persistent irritation or burns. | |
| 4.4 | Ingestion | | Rinse mouth with water. Do not induce vomiting. Give water to dilute. Get immediate medical attention. Never give anything by mouth to an unconscious person. | | |
| 4.5 | Inhalation | | Move to fresh air. If necessary, administer oxygen and/or artificial respiration and seek medical attention. | | |
| 4.6 | Precautions fo | or first responders | Ventilate the area. Wear safety glasses, gloves and lab coat. | | |
| 4.7 Information for physicians | | | | | |
| | Symptoms | | | n, pain or redness in eyes, mucous e delayed so continued monitoring o | |
| | Hazards | | | ause burns or irritation to eyes, sk may be delayed. | kin or mucous membranes. Acute |
| | Treatment | | Same | as above under First Aid. | |
| 5.0 | Fire Fighting Measures | | | | |
| 5.1 | Suitable extinguishing media Not a fire hazard. Use water spray to keep fire-exposed containers code Extinguish fire with agent suitable for surrounding fire. | | | | |
| 5.2 | Extinguishing media to avoid None | | | | |
| 5.3 | Special expos | ure hazards in a fire | Phosphoric acid can react with metals to liberate hydrogen, a flammable gas. Combustion by-products include oxides of phosphorus. | | |
| 5.4 | Special protecting fighters | tive equipment for fire | e- A self- | A self-contained breathing apparatus. | |
| 6.0 | Accidental Release Measures | | | | |
| 6.1 | Personal prec | ersonal precautions. Wear chemical splash goggles and gloves. | | | |
| 6.2 | Environmental | precautions | | Avoid releasing large quantities into the environment as phosphoric acid may affect pH of water or soil. | |
| 6.3 | Method for cle | an up | gloves | nall quantities (as in this product): \Absorb or wipe up spill with dry pd chemical waste container for disp | paper towels. Place all material in |
| 7.0 | Handling and | Storage | | | |

| 7.1 | Handling | For use by dental professionals only. Wear safety glasses and gloves; wash hands after use. Avoid unnecessary exposure. Follow good hygiene practices. Protect soft tissue from etchant during intraoral procedures. |
|---------|---|--|
| 7.2 | Storage | Remove applicator tip after use. Keep tightly capped in original container Store at cool room temperature. Avoid extremes of temperature (>27°C/80°F <5°C/40°F), alkalis, sulfites, sulfides and most metals. |
| 7.3 | Specific uses | Dental etchant |
| 8.0 | Exposure Controls / Personal Protection | |
| 8.1 | Exposure limit values | TWA: 1 mg/m³ TLV: 3 mg/m³ |
| 8.2 | Exposure controls | |
| 8.2.1 | Occupational exposure controls | No special equipment required under normal conditions of use of this product in the quantity provided. |
| 8.2.1.1 | Respiratory protection | Good general ventilation is sufficient to control airborne vapors. |
| 8.2.1.2 | Hand protection | No special requirements other than surgical gloves. |
| 8.2.1.3 | Eye protection | No special requirements other than safety glasses. |
| 8.2.1.4 | Skin protection | No special requirements. Good personal hygiene and safety practices wearing a lab coat will protect from unnecessary exposure to etchant. |
| 8.2.1.5 | Other controls | Emergency eye wash fountain should be available. Protect soft tissue from etchant during intraoral procedures. Wash hands after use. |
| 8.2.2 | Environmental exposure controls | Avoid releasing large quantities of phosphoric acid into the environment as phosphoric acid may affect pH of water or soil. |
| 9.0 | Physical and Chemical Properties | |
| 9.1 | Appearance / Color | |
| 9.1.1 | Color / Physical state | Medium blue, thixotropic gel. |
| 9.1.2 | Odor | Mild, characteristic |
| 9.2 | Important health, safety and environmental in | formation |
| 9.2.1 | рН | pH 1 |
| 9.2.2 | Boiling point | 135°C |
| 9.2.3 | Flash point | Not combustible |
| 9.2.4 | Flammability (solid, gas) | Not combustible |
| 9.2.5 | Explosive properties | Not applicable |
| 9.2.6 | Oxidizing properties | Not determined |
| 9.2.7 | Vapor pressure | 2.933 mbar / ld: C |
| 9.2.8 | Specific gravity | 1.380 |
| 9.2.9 | Solubility in water | Complete |
| 9.2.10 | Partition coefficient | Not determined |
| 9.2.11 | Viscosity | Not determined |
| 9.2.12 | Vapor density | Not determined |
| 9.2.13 | Evaporation rate | Not determined |
| 10.0 | Stability and reactivity | |
| 10.1 | Conditions to avoid | Not applicable |
| 10.1 | Conditions to avoid | Not applicable |

| 10.2 | Materials to avoid | Avoid contact with materials such as sulfides and sulfites that could release toxic gases. Avoid strong alkalis because high heat of reaction can generate steam. Avoid most metals because phosphoric acid can react to liberate hydrogen, a flammable gas. |
|--|---|--|
| 10.3 | Hazardous decomposition products | Avoid contact with materials such as sulfides and sulfites that could release toxic gases. Avoid strong alkalis because high heat of reaction can generate steam. Avoid most metals because phosphoric acid can react to liberate hydrogen, a flammable gas. |
| 10.4 | Further information | Stable under normal conditions of use and storage. |
| 11.0 | Toxicological information | |
| 11.1 | Acute toxicity | Not toxic |
| 11.2 | Irritation and corrosiveness | Corrosive. May cause burns or irritation to eyes, skin, mouth, throat or gastrointestinal tract. Not expected to be an inhalation hazard unless product is misted or heated at high temperatures. |
| 11.3 | Sensitization | Not applicable. |
| 11.4 | Sub-acute, sub-chronic, prolonged toxicity | None known. |
| 11.5 | Carcinogenicity, Mutagenicity, Reproductive Toxicity | Not considered a carcinogen, mutagen, teratogen or reproductive toxin. |
| 11.6 | Empirical data | Not available |
| 11.7 | Clinical Experience | Using phosphoric acid etchants to prepare teeth for bonding procedures is a well-established (more than 20 years), industry-accepted, dental procedure. Etching enamel with phosphoric acid is safe and effective treatment in the hands of a dental professional. |
| | | |
| 12.0 | Ecological Information | |
| 12.0 12.1 | Ecological Information Ecotoxicity | No specific information available. Use according to good working practices. Avoid release into the environment as it may cause pH variation. |
| | | practices. Avoid release into the environment as it may cause pH |
| 12.1 | Ecotoxicity | practices. Avoid release into the environment as it may cause pH |
| 12.1 | Ecotoxicity Disposal Considerations | practices. Avoid release into the environment as it may cause pH variation. Follow all local and national government regulations in disposing |
| 12.1 13.0 13.1 | Ecotoxicity Disposal Considerations Regulations | practices. Avoid release into the environment as it may cause pH variation. Follow all local and national government regulations in disposing |
| 12.1 13.0 13.1 14.0 | Disposal Considerations Regulations Transport Information | practices. Avoid release into the environment as it may cause pH variation. Follow all local and national government regulations in disposing material or contaminated packaging. |
| 12.1 13.0 13.1 14.0 14.1 | Ecotoxicity Disposal Considerations Regulations Transport Information UN Number | practices. Avoid release into the environment as it may cause pH variation. Follow all local and national government regulations in disposing material or contaminated packaging. |
| 12.1 13.0 13.1 14.0 14.1 14.2 | Ecotoxicity Disposal Considerations Regulations Transport Information UN Number Technical name | practices. Avoid release into the environment as it may cause pH variation. Follow all local and national government regulations in disposing material or contaminated packaging. 1805 Phosphoric acid |
| 12.1 13.0 13.1 14.0 14.1 14.2 14.3 | Ecotoxicity Disposal Considerations Regulations Transport Information UN Number Technical name Packing group | practices. Avoid release into the environment as it may cause pH variation. Follow all local and national government regulations in disposing material or contaminated packaging. 1805 Phosphoric acid Packing Group III |
| 12.1 13.0 13.1 14.0 14.1 14.2 14.3 14.4 | Ecotoxicity Disposal Considerations Regulations Transport Information UN Number Technical name Packing group IATA class | practices. Avoid release into the environment as it may cause pH variation. Follow all local and national government regulations in disposing material or contaminated packaging. 1805 Phosphoric acid Packing Group III |
| 12.1 13.0 13.1 14.0 14.1 14.2 14.3 14.4 15.0 | Ecotoxicity Disposal Considerations Regulations Transport Information UN Number Technical name Packing group IATA class Regulatory Information | practices. Avoid release into the environment as it may cause pH variation. Follow all local and national government regulations in disposing material or contaminated packaging. 1805 Phosphoric acid Packing Group III Class 8, Corrosive |
| 12.1 13.0 13.1 14.0 14.1 14.2 14.3 14.4 15.0 15.1 | Ecotoxicity Disposal Considerations Regulations Transport Information UN Number Technical name Packing group IATA class Regulatory Information EU | practices. Avoid release into the environment as it may cause pH variation. Follow all local and national government regulations in disposing material or contaminated packaging. 1805 Phosphoric acid Packing Group III Class 8, Corrosive Class IIa medical device under MDD 93/42/EEC. |
| 12.1 13.0 13.1 14.0 14.1 14.2 14.3 14.4 15.0 15.1 15.2 | Ecotoxicity Disposal Considerations Regulations Transport Information UN Number Technical name Packing group IATA class Regulatory Information EU US FDA | practices. Avoid release into the environment as it may cause pH variation. Follow all local and national government regulations in disposing material or contaminated packaging. 1805 Phosphoric acid Packing Group III Class 8, Corrosive Class IIa medical device under MDD 93/42/EEC. Class II medical device |
| 12.1 13.0 13.1 14.0 14.1 14.2 14.3 14.4 15.0 15.1 15.2 15.3 | Ecotoxicity Disposal Considerations Regulations Transport Information UN Number Technical name Packing group IATA class Regulatory Information EU US FDA Health Canada | practices. Avoid release into the environment as it may cause pH variation. Follow all local and national government regulations in disposing material or contaminated packaging. 1805 Phosphoric acid Packing Group III Class 8, Corrosive Class IIa medical device under MDD 93/42/EEC. Class II medical device |

| | | H318: Causes serious eye damage. |
|------|---|--|
| 16.3 | Precautionary Statements | P264: Wash hands thoroughly after handling. P280: Wear protective gloves, clothing and eye/face protection. P301 + P330 + P331: If swallowed, rinse mouth. Do NOT induce vomiting. P303 + P361 + P353: If on skin (or hair), remove all contaminated clothing. Rinse skin with water. P363: Wash contaminated clothing before reuse. P310: Immediately call a Poison Center or doctor/physician. P305 + P351 + P338: If in eyes, rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing until pH of tears is 7. |
| 16.4 | Restrictions on use | Dental etchants are to be sold to/used by dental professionals only. |
| 16.5 | Further information | The information presented herein is believed to be factual as it has been derived from the works of persons believed to be qualified experts. However, nothing contained in this information is to be taken as a warranty or representation for which Pulpdent Corporation bears legal responsibility. The user should review any recommendations in the specific context of the intended use to determine whether they are appropriate. |
| 16.6 | Sources of key data | National Institute for Occupational Safety (NIOSH) Occupational Safety and Health Administration (OSHA) Eur-Lex European Union Law: Regulation (EC) No. 1272/2008 (CLP) and Regulation (EC) No. 1907/2006 (REACH). Guidance on the compilation of safety data sheets. Version 1.1; December 2011. European Chemicals Agency |
| 16.7 | Information which has been added, deleted or revised. | This Safety Data Sheet has been revised to meet the requirements of the GHS SDS format and Regulations (EC) No. 1272/2008 (CLP) and (EC) No. 1907/2006 (REACH). Specifically, Sections 2.1, 2.2, 3.2, 16.2, 16.3 have been modified. |