According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



mikrozid® alcohol free wipes No Change Service!

Version Revision Date: Date of last issue: 06.01.2022

06.06 26.08.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : mikrozid® alcohol free wipes

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Disinfectants

stance/Mixture

Recommended restrictions

on use

For professional users only.

1.3 Details of the supplier of the safety data sheet

Producer : Schülke & Mavr GmbH

Robert-Koch-Str. 2

22851 Norderstedt

Germany

Telephone: +49 (0)40/ 52100-0 Telefax: +49 (0)40/ 52100318

mail@schuelke.com www.schuelke.com

Supplier : Schülke & Mayr UK Ltd.

Cygnet House

1, Jenkin Road, Meadowhall

Sheffield S9 1AT United Kingdom

Telephone: +44 114 254 35 00 Telefax: +44 114 254 35 01 mail.uk@schulke.com

E-mail address of person :

responsible for the SDS/Contact person

Application Specialists +49 (0)40/ 521 00 666 AD@schuelke.com

(Schülke & Mayr UK Ltd.: +44-1142543500)

1.4 Emergency telephone number

Emergency telephone num-

Carechem 24 International:+44 1235 239670

ber

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019)

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



mikrozid® alcohol free wipes No Change Service!

Version Revision Date: Date of last issue: 06.01.2022

06.06 26.08.2022

Long-term (chronic) aquatic hazard, Cat-

egory 3

H412: Harmful to aquatic life with long lasting ef-

fects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019)

Hazard statements : H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P273 Avoid release to the environment.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Aqueous containing solution on non-woven

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
Quaternary ammonium compounds,	85409-23-0	Acute Tox. 4; H302	>= 0.1 - < 0.25
C12-14-	287-090-7	Skin Corr. 1B;	
alkyl[(ethylphenyl)methyl]dimethyl,		H314	
chlorides	01-2120771812-51-	Eye Dam. 1; H318	
	XXXX	Aquatic Acute 1;	
		H400	
		Aquatic Chronic 1;	
		H410	
		M-Factor (Acute	
		aquatic toxicity): 10	
		M-Factor (Chronic	
		aquatic toxicity): 1	
didecyldimethylammonium chloride	7173-51-5	Acute Tox. 3; H301	>= 0.1 - < 0.25
	230-525-2	Skin Corr. 1B;	
	612-131-00-6	H314	
	01-2119945987-15-	Eye Dam. 1; H318	
	XXXX	Aquatic Acute 1;	

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



mikrozid® alcohol free wipes No Change Service!

Version Revision Date: Date of last issue: 06.01.2022

06.06 26.08.2022

		H400 Aquatic Chronic 2; H411 ———— M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 1	
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides	68424-85-1 270-325-2 01-2119965180-41- XXXX	Acute Tox. 4; H302 Acute Tox. 4; H312 Skin Corr. 1B; H314 Eye Dam. 1; H318 Aquatic Acute 1; H400 Aquatic Chronic 1;	>= 0.1 - < 0.25
		M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 1	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Take off contaminated clothing and shoes immediately.

If inhaled : If symptoms persist, call a physician.

In case of skin contact : Wash with water and soap as a precaution.

If symptoms persist, call a physician.

In case of eye contact : Flush eyes with water as a precaution.

If eye irritation persists, consult a specialist.

If swallowed : Do NOT induce vomiting.

Drink water as a precaution. Consult a physician if necessary.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Treat symptomatically.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : For specialist advice physicians should contact the Poisons

Information Service.

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



mikrozid® alcohol free wipes No Change Service!

Version Revision Date: Date of last issue: 06.01.2022

06.06 26.08.2022

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Dry powder

Carbon dioxide (CO2)

Water spray jet

Foam

Unsuitable extinguishing

media

Do NOT use water jet.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod- : No hazardous combustion products are known

ucts

5.3 Advice for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

for firefighters

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

6.2 Environmental precautions

Environmental precautions : No special environmental precautions required.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Use mechanical handling equipment.

6.4 Reference to other sections

see Section 8 + 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : No special precautions required.

Advice on protection against :

fire and explosion

No special protective measures against fire required.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Store at room temperature in the original container.

Further information on stor- : Keep container tightly closed. Protect from frost, heat and

Z40000250_01 ZSDB_P_GB EN

Page 4/19

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



mikrozid® alcohol free wipes No Change Service!

Version Revision Date: Date of last issue: 06.01.2022

06.06 26.08.2022

age conditions sunlight. Recommended storage temperature: 15 - 25°C

Advice on common storage : Keep away from food and drink.

7.3 Specific end use(s)

Specific use(s) : none

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL):

Substance name	End Use	Exposure routes	Potential health effects	Value
Quaternary ammonium compounds, C12-14-al-kyl[(ethylphenyl)methyl]dimethyl, chlorides	Workers	Inhalation	Long-term systemic effects	1 mg/m3
didecyldime- thylammonium chlo- ride	Workers	Inhalation	Acute systemic ef- fects, Long-term systemic effects	5.39 mg/m3
	Workers	Dermal	Acute systemic ef- fects, Long-term systemic effects	1.55 mg/kg
Quaternary ammoni- um compounds, ben- zyl-C12-16- alkyldimethyl, chlo- rides	Workers	Skin contact	Long-term systemic effects	5.7 mg/kg
	Workers	Inhalation	Long-term systemic effects	3.96 mg/m3

Predicted No Effect Concentration (PNEC):

Substance name	Environmental Compartment	Value
Quaternary ammonium com-	Fresh water	0.000415 mg/l
pounds, C12-14-		
al-		
kyl[(ethylphenyl)methyl]dimethyl,		
chlorides		
	Marine water	0.000042 mg/l
	Sewage treatment plant	0.21 mg/l
	Fresh water sediment	6.81 mg/kg
	Marine sediment	0.681 mg/kg
	Soil	1.36 mg/kg
didecyldimethylammonium chlo-	Fresh water	0.002 mg/l
ride		
	Marine water	0.0002 mg/l
	Fresh water sediment	2.83 mg/kg
	Marine sediment	0.28 mg/kg

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



mikrozid® alcohol free wipes No Change Service!

Version Revision Date: Date of last issue: 06.01.2022

06.06 26.08.2022

	Sewage treatment plant	0.595 mg/l
	Soil	1.4 mg/kg
Quaternary ammonium com- pounds, benzyl-C12-16- alkyldimethyl, chlorides	Fresh water	0.0009 mg/l
	Marine water	0.00009 mg/l
	Fresh water sediment	12.27 mg/kg
	Marine sediment	13.09 mg/kg
	Soil	7 mg/kg
	Effects on waste water treatment plants	0.4 mg/l
	Intermittent use/release	0.00016 mg/l

8.2 Exposure controls

Personal protective equipment

Hand protection

Directive : The selected protective gloves have to satisfy the specifica-

tions of Regulation (EU) 2016/425 and the standard EN 374

derived from it.

Remarks : Prolonged contact: Nitrile rubber gloves e.g. Camatril (>480

Min., layer thickness: 0,40 mm) or butyl rubber gloves e.g. Butoject (>480 Min., layer thickness: 0,70 mm) made by KCL or gloves from other manufacturers offering the same protec-

tion.

Respiratory protection : No personal respiratory protective equipment normally re-

quired.

Protective measures : Avoid contact with eyes.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : Aqueous containing solution on non-woven

Colour : colourless

Odour : characteristic

Odour Threshold : not determined

pH : 5 - 8 (20 °C)

Concentration: 100 % of the active solution

Melting point/freezing point : ca. 0 °C

of the active solution

Decomposition temperature Not applicable

Boiling point/boiling range : ca. 100 °Cof the active solution

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



mikrozid® alcohol free wipes No Change Service!

Version Revision Date: Date of last issue: 06.01.2022

06.06 26.08.2022

Flash point : Not applicable

Evaporation rate : not determined

Flammability (solid, gas) : Not applicable

Upper explosion limit / Upper

flammability limit

Not applicable

Lower explosion limit / Lower

flammability limit

Not applicable

Vapour pressure : No data available

Relative vapour density : Not applicable

Density : ca. 1.00 g/cm3 (20 °C)

of the active solution

Solubility(ies)

Water solubility : completely soluble (20 °C)

Partition coefficient: n-

octanol/water

: Not applicable

Auto-ignition temperature : Not applicable

Viscosity

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidizing properties : The substance or mixture is not classified as oxidizing.

9.2 Other information

Metal corrosion rate : None reasonably foreseeable.

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : None reasonably foreseeable.

10.4 Conditions to avoid

Conditions to avoid : Protect from frost, heat and sunlight.

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



mikrozid® alcohol free wipes No Change Service!

Version Revision Date: Date of last issue: 06.01.2022

06.06 26.08.2022

10.5 Incompatible materials

Materials to avoid : None reasonably foreseeable.

10.6 Hazardous decomposition products

None reasonably foreseeable.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

Components:

Quaternary ammonium compounds, C12-14-alkyl[(ethylphenyl)methyl]dimethyl, chlorides:

Acute oral toxicity : LD50 (Rat): 344 mg/kg

Method: OECD Test Guideline 401

Remarks: Based on data from similar materials

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (Rabbit): 2,300 mg/kg

Method: OECD Test Guideline 402

Remarks: Based on data from similar materials

didecyldimethylammonium chloride:

Acute oral toxicity : LD50 (Rat): 238 mg/kg

Method: OECD Test Guideline 401 Assessment: Toxic if swallowed.

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (Rabbit): 3,342 mg/kg

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides:

Acute oral toxicity : LD50 (Rat): > 300 - 2,000 mg/kg

Method: OECD Test Guideline 401 Assessment: Harmful if swallowed.

Acute inhalation toxicity : LC50 (Rat): > 2 mg/l

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): 1,100 mg/kg

Assessment: Harmful in contact with skin.

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



mikrozid® alcohol free wipes No Change Service!

Version Revision Date: Date of last issue: 06.01.2022

06.06 26.08.2022

Skin corrosion/irritation

Not classified based on available information.

Components:

Quaternary ammonium compounds, C12-14-alkyl[(ethylphenyl)methyl]dimethyl, chlorides:

Species : Rabbit

Result : Corrosive after 3 minutes to 1 hour of exposure

didecyldimethylammonium chloride:

Species : Rabbit Exposure time : 4 h

Method : OECD Test Guideline 404

Result : Corrosive after 3 minutes to 1 hour of exposure

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides:

Species : Rabbit

Result : Corrosive after 3 minutes to 1 hour of exposure

GLP : no

Serious eye damage/eye irritation

Not classified based on available information.

Components:

didecyldimethylammonium chloride:

Result : Irreversible effects on the eye

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides:

Result : Irreversible effects on the eye

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

didecyldimethylammonium chloride:

Test Type : Buehler Test Species : Guinea pig

Method : OECD Test Guideline 406

Result : Did not cause sensitisation on laboratory animals.

GLP : yes

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides:

Test Type : Buehler Test

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



mikrozid® alcohol free wipes No Change Service!

Version Revision Date: Date of last issue: 06.01.2022

06.06 26.08.2022

Species : Guinea pig

Method : OECD Test Guideline 406

Result : Did not cause sensitisation on laboratory animals.

GLP : yes

Germ cell mutagenicity

Not classified based on available information.

Components:

Quaternary ammonium compounds, C12-14-alkyl[(ethylphenyl)methyl]dimethyl, chlorides:

Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Result: negative

GLP: yes

Test Type: Chromosome aberration test in vitro

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

GLP: yes

Remarks: Based on data from similar materials

didecyldimethylammonium chloride:

Genotoxicity in vitro : Test system: Salmonella typhimurium

Metabolic activation: Metabolic activation Method: OECD Test Guideline 471 Result: Not mutagenic in Ames Test

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Rat

Application Route: Oral

Method: OECD Test Guideline 475

Result: negative

Germ cell mutagenicity- As-

sessment

: Animal testing did not show any mutagenic effects.

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides:

Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471 Result: Not mutagenic in Ames Test

Genotoxicity in vivo : Test Type: In vivo micronucleus test

Species: Mouse (male and female)

Application Route: Oral

Method: OECD Test Guideline 474

GLP: yes

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



mikrozid® alcohol free wipes No Change Service!

Version Revision Date: Date of last issue: 06.01.2022

06.06 26.08.2022

Germ cell mutagenicity- As-

sessment

Tests on bacterial or mammalian cell cultures did not show

mutagenic effects.

Carcinogenicity

Not classified based on available information.

Components:

Quaternary ammonium compounds, C12-14-alkyl[(ethylphenyl)methyl]dimethyl, chlorides:

Remarks : No data available

didecyldimethylammonium chloride:

Carcinogenicity - Assess-

: Animal testing did not show any carcinogenic effects.

ment

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides:

Carcinogenicity - Assess- : Animal testing did not show any carcinogenic effects.

ment

Reproductive toxicity

Not classified based on available information.

Components:

Quaternary ammonium compounds, C12-14-alkyl[(ethylphenyl)methyl]dimethyl, chlorides:

Effects on fertility : Test Type: Two-generation study

Species: Rat, male and female

Application Route: Oral

General Toxicity - Parent: NOAEL: 51 - 102 mg/kg body

weight

General Toxicity F1: NOAEL: 51 - 102 mg/kg body weight

GLP: yes

didecyldimethylammonium chloride:

Reproductive toxicity - As- : No data available

sessment

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides:

Effects on fertility : Test Type: Two-generation study

Species: Rat, male and female

Application Route: Oral

General Toxicity - Parent: NOAEL: 51 - 102 mg/kg body

weiaht

General Toxicity F1: NOAEL: 41 - 83 mg/kg body weight

Fertility: NOAEL: 139 - 198 mg/kg body weight

Method: OECD Test Guideline 416

Result: Animal testing did not show any effects on fertility.

GLP: yes

Effects on foetal develop- : Species: Rat

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



mikrozid® alcohol free wipes No Change Service!

Version Revision Date: Date of last issue: 06.01.2022

06.06 26.08.2022

ment Application Route: Oral

General Toxicity Maternal: NOAEL: 8.1 mg/kg body weight Developmental Toxicity: NOAEL: 81 mg/kg body weight

Method: OECD Test Guideline 414

GLP: yes

Remarks: Animal testing did not show any effects on foetal

development.

STOT - single exposure

Not classified based on available information.

Components:

Quaternary ammonium compounds, C12-14-alkyl[(ethylphenyl)methyl]dimethyl, chlorides:

Remarks : No data available

didecyldimethylammonium chloride:

Remarks : No data available

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides:

Remarks : No data available

STOT - repeated exposure

Not classified based on available information.

Components:

Quaternary ammonium compounds, C12-14-alkyl[(ethylphenyl)methyl]dimethyl, chlorides:

Remarks : No data available

didecyldimethylammonium chloride:

Remarks : No data available

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides:

Remarks : No data available

Repeated dose toxicity

Components:

Quaternary ammonium compounds, C12-14-alkyl[(ethylphenyl)methyl]dimethyl, chlorides:

Remarks : No data available

didecyldimethylammonium chloride:

Remarks : No data available

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides:

Species : Rat, male NOAEL : 31 mg/kg

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



mikrozid® alcohol free wipes No Change Service!

Version **Revision Date:** Date of last issue: 06.01.2022

06.06 26.08.2022

> Oral Application Route Exposure time 90-day

OECD Test Guideline 408 Method

GLP

Species Rat NOAEL 214 mg/kg Application Route Oral Exposure time 14-davs

Method **OECD Test Guideline 407**

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks No data is available on the product itself.

SECTION 12: Ecological information

12.1 Toxicity

Components:

Quaternary ammonium compounds, C12-14-alkyl[(ethylphenyl)methyl]dimethyl, chlorides:

: LC50 (Fish): 1.06 mg/l Toxicity to fish

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0.015 mg/l

Exposure time: 48 h

M-Factor (Acute aquatic tox- : 10

icity)

Toxicity to fish (Chronic tox-

icity)

NOEC: 0.032 mg/l

Exposure time: 28 d

Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other:

aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0.00415 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

GLP: yes

: 1

M-Factor (Chronic aquatic

toxicity)

didecyldimethylammonium chloride:

LC50 (Pimephales promelas (fathead minnow)): 0.19 mg/l Toxicity to fish

Exposure time: 96 h

GLP: yes

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



mikrozid® alcohol free wipes No Change Service!

Version **Revision Date:** Date of last issue: 06.01.2022

06.06 26.08.2022

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0.062 mg/l

Exposure time: 48 h

GLP: yes

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): 0.026

mg/l

Exposure time: 96 h

Method: OECD Test Guideline 201

GLP: yes

M-Factor (Acute aquatic tox-

icity)

10

Toxicity to fish (Chronic tox-

icity)

NOEC: 0.032 mg/l Exposure time: 34 d

Species: Danio rerio (zebra fish) Method: OECD Test Guideline 210

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0.014 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Method: Expert judgement and weight of evidence determina-

tion.

M-Factor (Chronic aquatic

toxicity)

1

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides:

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): 0.85 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna): 0.015 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

IC50: 0.03 mg/l Exposure time: 72 h

M-Factor (Acute aquatic tox- :

icity)

10

Toxicity to fish (Chronic tox-

icity)

NOEC: 0.032 mg/l

Exposure time: 34 d

Species: Pimephales promelas (fathead minnow)

Toxicity to daphnia and other: aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0.0042 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic

toxicity)

: 1

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



mikrozid® alcohol free wipes No Change Service!

Version Revision Date: Date of last issue: 06.01.2022

06.06 26.08.2022

12.2 Persistence and degradability

Components:

Quaternary ammonium compounds, C12-14-alkyl[(ethylphenyl)methyl]dimethyl, chlorides:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 95.5 % Exposure time: 28 d

Method: OECD Test Guideline 301B

Remarks: Based on data from similar materials

didecyldimethylammonium chloride:

Biodegradability : Concentration: 10 mg/l

Result: Readily biodegradable.

Biodegradation: 72 % Exposure time: 28 d

Method: OECD 301B/ ISO 9439/ EEC 84/449 C5

GLP: yes

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides:

Biodegradability : Concentration: 5 mg/l

Result: Readily biodegradable. Biodegradation: 95.5 % Exposure time: 28 d

Method: OECD Test Guideline 301B

12.3 Bioaccumulative potential

Components:

Quaternary ammonium compounds, C12-14-alkyl[(ethylphenyl)methyl]dimethyl, chlorides:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

didecyldimethylammonium chloride:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Exposure time: 46 d

Bioconcentration factor (BCF): 81

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides:

Bioaccumulation : Exposure time: 35 d

Concentration: 0.076 mg/l

Bioconcentration factor (BCF): 79

GLP: yes

Remarks: Does not bioaccumulate.

Partition coefficient: n-

octanol/water

log Pow: 2.75 (20 °C)

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



mikrozid® alcohol free wipes No Change Service!

Version Revision Date: Date of last issue: 06.01.2022

06.06 26.08.2022

12.4 Mobility in soil

Components:

Quaternary ammonium compounds, C12-14-alkyl[(ethylphenyl)methyl]dimethyl, chlorides:

Mobility : Medium: Soil

Remarks: immobile

didecyldimethylammonium chloride:

Mobility : Remarks: Mobile in soils

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides:

Mobility : Remarks: No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Other adverse effects

Product:

Endocrine disrupting poten-

tial

The substance/mixture does not contain components considered to have endocrine disrupting properties according to

REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Can be incinerated or landfilled together with household waste

in compliance with the regulations, and after consultation with

the waste disposal services.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number

ADR : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



mikrozid® alcohol free wipes No Change Service!

Version Revision Date: Date of last issue: 06.01.2022

06.06 26.08.2022

IATA : Not regulated as a dangerous good

14.2 UN proper shipping name

ADR : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA : Not regulated as a dangerous good

14.3 Transport hazard class(es)

IMDG : Not regulated as a dangerous good

14.4 Packing group

ADR : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA (Cargo) : Not regulated as a dangerous good

IATA (Passenger) : Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17) : Conditions of restriction for the fol-

lowing entries should be considered:

Number on list 3

UK REACH Candidate list of substances of very high

concern (SVHC) for Authorisation

Not applicable

The Persistent Organic Pollutants Regulations (retained

Regulation (EU) 2019/1021 as amended for Great Brit-

ain)

Not applicable

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

: Not applicable

UK REACH List of substances subject to authorisation

(Annex XIV)

Not applicable

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial

Z40000250_01 ZSDB_P_GB EN

Page 17/19

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



mikrozid® alcohol free wipes No Change Service!

Version Revision Date: Date of last issue: 06.01.2022

06.06 26.08.2022

emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 0.11 %

according to Detergents Regulation EC 648/2004 less than 5 %: Cationic surfactants

The components of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

Quaternary ammonium compounds, C12-14-alkyl[(ethylphenyl)methyl]dimethyl, chlorides

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI: On the inventory, or in compliance with the inventory

15.2 Chemical safety assessment

Exempt

SECTION 16: Other information

Full text of H-Statements

H301 : Toxic if swallowed. H302 : Harmful if swallowed.

H312 : Harmful in contact with skin.

H314 : Causes severe skin burns and eye damage.

H318 : Causes serious eye damage. H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.H411 : Toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Dam. : Serious eye damage

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



mikrozid® alcohol free wipes No Change Service!

Version Revision Date: Date of last issue: 06.01.2022

06.06 26.08.2022

Skin Corr. : Skin corrosion

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance: PICCS - Philippines Inventory of Chemicals and Chemical Substances: (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture: Classification procedure:

Aguatic Chronic 3 H412 Calculation method

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.