

Revision nr. 5 Dated 30/03/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification: Product Name: Code:

TROPICALGIN C302240, C302242, C302245

1.2. Relevant identified uses of the substance or mixture and uses advised against For professional use only. Alginate for dental impression.

1.3. Details of the supplier of the safety data sheet

Name Zhermack S.p.a Via Bovazecchino 100 45021 Badia Polesine (RO) Italy tel. +39 0425-597611 fax +39 0425-597689 Competent person responsible for the safety data sheet:

msds@zhermack.com

1.4. Emergency telephone number tel. +39 0425-597611

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

STOT RE 2, H373 May cause damage to organs through prolonged or repeated exposure. Aquatic Chronic 3, H412 Harmful to aquatic life with long lasting effects.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

The Regulation EC 1272/2008, on classification, labelling and packaging of substances and mixtures (CLP), shall not apply to a medical device in the finished state used in direct physical contact with the human body according to art. 1.5, letter d). Therefore the product is exempted from the CLP labeling requirements.

Hazard pictograms:



Warning

Hazard statements:

H373 May cause damage to organs through prolonged or repeated exposure.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements:

P260 Do not breathe dust.

P273 Avoid release to the environment.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P314 Get medical advice/attention if you feel unwell.

P501 Dispose of contents/container in accordance with applicable regulations.

Revision nr. 5 Page n. 1 of 14

Zhermack //

Special Provisions: None Contains Cristobalite

Special provisions according to Annex XVII of REACH and subsequent amendments: None

2.3. Other hazards

Classification of the mixture is based on the results of an in vitro assay conducted in accordance with the guidelines provided by OCSE (OECD Test Guideline 437 resp. EU Method B.47 – Bovine Corneal Opacity and Permeability (BCOP) Test Method) and GLP certified - Good Laboratory Practices. For more information refer to section 11.

No PBT, vPvB or endocrine disruptor substances present in concentration >= 0.1%Other Hazards:

No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

Not Applicable

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Numb	er	Classification
>= 5% - < 8%	Cristobalite	CAS: EC:	14464-46-1 238-455-4	STOT RE 1 H372 Causes damage to organs (lungs) through prolonged or repeated exposure if inhaled.
>= 1% - < 3%	Dipotassium exafluorotitanate	CAS: EC: REACH No.:	16919-27-0 240-969-9 01-21199782 68-20-XXXX	Acute Tox. 4 H302 Harmful if swallowed. Eye Dam. 1 H318 Causes serious eye damage. Acute Toxicity Estimate: ATE - Oral 324 mg/kg bw
>= 1% - < 3%	zinc oxide	Index number: CAS: EC: REACH No.:	030-013-00-7 1314-13-2 215-222-5 01-21194638 81-32-XXXX	Aquatic Acute 1 H400 Very toxic to aquatic life. M=1. Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects. M=1.
>= 0,1% - < 0,3%	phenolphthalein	Index number: CAS: EC: REACH No.:	604-076-00-1 77-09-8 201-004-7 01-21194982 95-24-XXXX	Muta. 2 H341 Suspected of causing genetic defects. Carc. 1B H350 May cause cancer. Repr. 2 H361f Suspected of damaging fertility. Specific Concentration Limits: C >= 1%: Muta. 2 H341 C >= 1%: Carc. 1B H350

SVHC, PBT, vPvB, endocrine disruptor substances:

>= 0,1% - < 0,3% phenolphthalein

REACH No.: 01-2119498295-24-XXXX, Index number: 604-076-00-1, CAS: 77-09-8, EC: 201-004-7

Revision nr. 5 Page n. 2 of 14

Zhermack //

SVHC Substances in nanoform: >= 1% - < 3% Dipotassium exafluorotitanate REACH No.: 01-2119978268-20-XXXX, CAS: 16919-27-0, EC: 240-969-9

> >= 0,5% - < 2,5% Trisodium orthophosphate REACH No.: 01-2119489800-32-XXXX, CAS: 7601-54-9, EC: 231-509-8

>=0,05% - <0,1% Silicon dioxide, amorphous REACH No.: 01-2119379499-16-XXXX, CAS: 7631-86-9, EC: 231-545-4

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap. Wash with plenty of water and soap.

Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediatley and dispose off safely.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

None

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Treatment:

None

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures For non emergency personnel:

Zhermack //

Wear personal protection equipment. Remove persons to safety. See protective measures under point 7 and 8. For emergency responders: Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up Wash with plenty of water.

- 6.4. Reference to other sections
 - See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

See also section 8 for recommended protective equipment.

Advice on general occupational hygiene:

Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed. Incompatible materials: See section 10.5. Instructions as regards storage premises: Adequately ventilated premises.

7.3. Specific end use(s) See section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters TROPICALGIN

Cristobalite - CAS: 14464-46-1

OEL Type	TWA	Duratio	STEL	Duratio	Notes	Country
		n		n		
EU	0.1 mg/m3	8h			Respirable	
TLV	0.1 mg/m3	8h			Respirable	ITALY
ACGIH	0.025 mg/m3	8h			(R), A2 - Pulm fibrosis, lung cancer	

Dipotassium exafluorotitanate - CAS: 16919-27-0

OEL Type TWA	Duratio STEL	Duratio Notes	Country
--------------	--------------	---------------	---------



		n		n	
No data available					

zinc oxide - CAS: 1314-13-2

OEL Type	TWA	Duratio n	STEL	Duratio n	Notes	Country
VLA	2 mg/m3	8h	10 mg/m3	15min		SPAIN
MV	5 mg/m3	8h	20 mg/m3	15min	Respirable	SLOVENIA
VME/VLE	3 mg/m3	8h	3 mg/m3	15min	Respirable	SWITZERLA ND
MAK	2 mg/m3	8h	4 mg/m3	15min	Inhalable	GERMANY
MAK	0.1 mg/m3	8h	0.4 mg/m3	15min	Respirable	GERMANY
MAK	3 mg/m3	8h	3 mg/m3	15min	Respirable	SWITZERLA ND
AK	5 mg/m3	8h	20 mg/m3	15min	Respirable	HUNGARY
GVI/KGVI	2 mg/m3	8h	10 mg/m3	15min	Respirable	CROATIA
HTP	2 mg/m3	8h	10 mg/m3	15min		FINLAND
MAK	5 mg/m3	8h			Respirable	AUSTRIA
NDS/NDSCh	5 mg/m3	8h	10 mg/m3	15min	Inhalable	POLAND
NGV/KGV	5 mg/m3	8h				SWEDEN
NPEL	1 mg/m3	8h	1 mg/m3	15min	Respirable	SLOVAKIA (Slovak Republic)
OELV	2 mg/m3	8h			Respirable	IRELAND
RD	5 mg/m3	8h				LITHUANIA
RV	0.5 mg/m3	8h				LATVIA
TLV	5 mg/m3	8h				ESTONIA
TLV	5 mg/m3	8h				NORWAY
TLV	5 mg/m3	8h	10 mg/m3	15min		ROMANIA
TLV	2 mg/m3	8h	5 mg/m3	15min		CZECH REPUBLIC
TLV	4 mg/m3	8h				DENMARK
TLV	5 mg/m3	8h	10 mg/m3	15min		BULGARIA
TLV	5 mg/m3	8h	10 mg/m3	15min		GREECE

Revision nr. 5 Page n. 5 of 14

Zhermack //

VLEP	5	8h				FRANCE
	mg/m3					
VLEP	2	8h	10	15min	Respirable	BELGIUM
	mg/m3		mg/m3			
TLV-ACGIH	2	8h	10	15min	(R) - Metal	
	mg/m3		mg/m3		fume fever	
ACGIH	2	8h	10		(R) - Metal	
	mg/m3		mg/m3		fume fever	

phenolphthalein - CAS: 77-09-8

OEL Type	TWA	Duratio	STEL	Duratio	Notes	Country
		n		n		
No data available						

DNEL Exposure Limit Values

Dipotassium exafluorotitanate - CAS: 16919-27-0

Worker Professional: 5.2 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term. local effects Worker Professional: 5.2 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects Worker Professional: 5.2 mg/m3 - Exposure: Human Inhalation - Frequency: Short Term, systemic effects Worker Professional: 75 mg/kg bw/d - Exposure: Human Dermal - Frequency: Long Term. systemic effects Worker Professional: 75 mg/kg bw/d - Exposure: Human Dermal - Frequency: Short Term. systemic effects Consumer: 37.5 mg/kg bw/d - Exposure: Human Dermal - Frequency: Short Term, systemic effects Consumer: 37.5 mg/kg bw/d - Exposure: Human Dermal - Frequency: Long Term, systemic effects zinc oxide - CAS: 1314-13-2 Consumer: 0.83 mg/kg/d - Exposure: Human Oral - Frequency: Long Term, systemic effects Consumer: 2.5 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects Worker Professional: 5 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects Consumer: 87 mg/kg/d - Exposure: Human Dermal - Frequency: Long Term, systemic effects Worker Professional: 87 mg/kg/d - Exposure: Human Dermal - Frequency: Long Term, systemic effects PNEC Exposure Limit Values Dipotassium exafluorotitanate - CAS: 16919-27-0 Target: Fresh Water - Value: 0.131 mg/l Target: Marine water - Value: 0.131 mg/l Target: Freshwater sediments - Value: 24.45 03 Target: Marine water sediments - Value: 4.89 03 Target: Microorganisms in sewage treatments - Value: 1.5 mg/l Target: Soil (agricultural) - Value: 19.1 mg/kg Target: intermittent release - Value: 0.108 mg/l zinc oxide - CAS: 1314-13-2 Target: Fresh Water - Value: 117 mg/l Target: Marine water - Value: 0.0061 mg/l Target: Freshwater sediments - Value: 117 mg/kg Target: Marine water sediments - Value: 56.5 mg/kg

Revision nr. 5 Page n. 6 of 14

Zhermack //

Target: Microorganisms in sewage treatments - Value: 0.052 mg/l Target: Soil (agricultural) - Value: 35.6 mg/kg 8.2. Exposure controls Precautionary measures: Give adequate ventilation to the premises where the product is stored and/or handled. Eve protection: Wear airtight protective goggles (EN 166). Protection for skin: Wear professional overalls and safety footwear (EN 14605). Protection for hands: Protect hands with work gloves (EN 374). The following should be considered when choosing work glove material (EN 374): compatibility, degradation, failure time and permeability. The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use. Respiratory protection: Mask with filter "P2 or P3". Thermal Hazards: None Environmental exposure controls: None Appropriate engineering controls: None

SECTION 9: Physical and chemical properties

Properties	Value	Method:	Notes
Physical state:	Dust		
Colour:	Red		
Odour:	tropical		
Melting point/freezing point:	Not available		
Boiling point or initial boiling point and boiling range:	Not available		
Flammability:	Not available		
Lower and upper explosion limit:	Not available		
Flash point:	Not available		
Auto-ignition temperature:	Not available		
Decomposition temperature:	Not available		
pH:	Not available		
Kinematic viscosity:	Not available		
Solubility in water:	Partially soluble		
Solubility in oil:	Not available		
Partition coefficient n-octanol/water (log value):	Not available		
Vapour pressure:	Not available		
Density and/or relative density:	Not available		
Relative vapour density:	Not available		

9.1. Information on basic physical and chemical properties

Zhermack //

Particle characteristics:

Particle size:	Not available					

9.2. Other information

No other relevant information

SECTION 10: Stability and reactivity

10.1. Reactivity

- Stable under normal conditions
- 10.2. Chemical stability
 - Stable under normal conditions
- 10.3. Possibility of hazardous reactions None
- **10.4. Conditions to avoid** Stable under normal conditions.
- **10.5. Incompatible materials** None in particular.
- **10.6. Hazardous decomposition products** None.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological information of the product:

- TROPICALGIN
- a) acute toxicity Not classified
- b) skin corrosion/irritation Not classified

 c) serious eye damage/irritation
 Not classified
 (INTERNAL TEST Bridging Principle, OECD 437 resp. EU Method B.47, GLP, in vitro, study report 2014).

- d) respiratory or skin sensitisation Not classified
- e) germ cell mutagenicity Not classified
- f) carcinogenicity Not classified
- g) reproductive toxicity Not classified
- h) STOT-single exposure Not classified
- i) STOT-repeated exposure The product is classified: STOT RE 2 H373
 j) aspiration hazard

Revision nr. 5 Page n. 8 of 14

Zhermack //

Not classified

Toxicological information of the main substances found in the product:	
Cristobalite - CAS: 14464-46-1	
i) STOT-repeated exposure:	
Route: Inhalation - Notes: Silicosis, pulmonary fibrosis; Target organ: lungs - Source:	
(MSDS supplier).	
Dipotassium exafluorotitanate - CAS: 16919-27-0	
a) acute toxicity	
ATE - Oral 324 mg/kg bw	
Test: LD50 - Route: Oral - Species: Rat 324 mg/kg - Source: (OECD 401, ECHA dossier).	
b) skin corrosion/irritation:	
Species: Rabbit - Based on available data, the classification criteria are not met -	
Source: (OECD 404, MSDS supplier).	
c) serious eye damage/irritation:	
Species: Rabbit - Eye Corrosive - Source: (OECD 405, MSDS supplier).	
d) respiratory or skin sensitisation:	
Test: Skin Sensitization - Species: Guinea pig - Based on available data, the	
classification criteria are not met - Source: (OECD 406, MSDS supplier).	
e) germ cell mutagenicity:	
Test: In vitro - Species: Salmonella Typhimurium - Negative - Source: (OECD 471,	
MSDS supplier).	
Test: In vitro - Positive - Source: (OECD 487, MSDS supplier).	
Test: In vitro - Negative - Source: (OECD 476, MSDS supplier).	
Test: In vivo - Species: Rat - Negative - Source: (OECD 474, MSDS supplier).	
zinc oxide - CAS: 1314-13-2	
a) acute toxicity:	
Test: LD50 - Route: Skin - Species: Rat > 2000 mg/kg - Source: (OECD 402, GLP,	
ECHA dossier).	
Test: LC50 - Route: Inhalation - Species: Rat > 5.7 mg/l - Source: (OECD 403, ECHA	
dossier).	
Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg - Source: (OECD 401, ECHA	
dossier).	
b) skin corrosion/irritation:	
Species: Rabbit - Based on available data, the classification criteria are not met -	
Source: (ECHA dossier).	
c) serious eye damage/irritation:	
Species: Rabbit - Based on available data, the classification criteria are not met -	
Source: (ECHA dossier).	
d) respiratory or skin sensitisation:	
Test: Skin Sensitization - Species: Guinea pig - Based on available data, the	
classification criteria are not met - Source: (ECHA dossier). e) germ cell mutagenicity:	
Test: In vitro - Negative - Source: (OCDE 471, ECHA dossier).	
Test: In vivo - Species: Mouse - Negative - Source: (OCDE 471, ECHA dossier).	
phenolphthalein - CAS: 77-09-8	
a) acute toxicity:	
Test: LD50 - Route: Oral - Species: Rat > 1000 mg/kg - Source: (MSDS supplier).	
b) skin corrosion/irritation:	
Based on available data, the classification criteria are not met - Source: (OECD 431,	in
vitro, ECHA dossier).	
c) serious eye damage/irritation:	
Based on available data, the classification criteria are not met - Source: (OECD 437,	in
vitro, ECHA dossier).	
d) respiratory or skin sensitisation:	
on pr. 5	

Revision nr. 5 Page n. 9 of 14

Zhermack //

Test: Skin Sensitization - Species: Mouse - Based on available data, the classification criteria are not met - Source: (OECD 429, ECHA dossier).

e) germ cell mutagenicity:

Test: In vitro - Negative - Source: (OECD 471, ECHA dossier).

f) carcinogenicity:

Route: Oral - Species: Rat - Positive - Source: (NTP, ECHA dossier).

g) reproductive toxicity:

Route: Oral - Species: Mouse - Positive - Source: (ECHA dossier).

i) STOT-repeated exposure:

Route: Oral - Species: Rat - Negative - Source: (OECD 407, ECHA dossier).

11.2. Information on other hazards

Endocrine disrupting properties:

No endocrine disruptor substances present in concentration >= 0.1%

SECTION 12: Ecological information

12.1. To	
	opt good working practices, so that the product is not released into the environment.
	e product is classified: Aquatic Chronic 3 - H412
	ium exafluorotitanate - CAS: 16919-27-0
	Aquatic acute toxicity:
a)	Endpoint: LC50 - Species: Fish 172 mg/l - Duration h: 96h (OECD 203, Danio rerio,
	ECHA dossier).
	Endpoint: EC50 - Species: Daphnia 48.2 mg/l - Duration h: 48h (OECD 203, Daphnia
	magna, ECHA dossier).
	Endpoint: IC50 - Species: Algae 10.81 mg/l - Duration h: 72h (OECD 201,
	Pseudokirchneriella subcapitata, ECHA dossier).
	Endpoint: NOEC - Species: Algae 1.31 mg/l (OECD 201, Pseudokirchneriella
	subcapitata, ECHA dossier).
zinc oxid	e - CAS: 1314-13-2
	Aquatic acute toxicity:
,	Endpoint: IC50 - Species: Algae 0.17 mg/l - Duration h: 72h (Pseudokirchnerella
	subcapitata, MSDS supplier).
	Endpoint: LC50 - Species: Fish 320 mg/l - Duration h: 96h (Lepomis macrochirus,
	MSDS supplier).
b)	Aquatic chronic toxicity:
	Endpoint: NOEC - Species: Algae 0.017 mg/l (Pseudokirchnerella subcapitata, MSDS
	supplier).
	thalein - CAS: 77-09-8
a)	Aquatic acute toxicity:
	Endpoint: IC50 - Species: Algae 8.9 mg/l - Duration h: 72h (OECD 201, Desmodesmu
40.0 D.	subspicatus, ECHA dossier).
	r sistence and degradability istobalite - CAS: 14464-46-1
G	Biodegradability: Non-readily biodegradable
اناط	botassium exafluorotitanate - CAS: 16919-27-0
וים	Biodegradability: Non-readily biodegradable
zir	c oxide - CAS: 1314-13-2
20	Biodegradability: Non-readily biodegradable
ph	enolphthalein - CAS: 77-09-8
F	Biodegradability: Readily biodegradable
12.3. Bio	accumulative potential
	istobalite - CAS: 14464-46-1
	Not bioaccumulative
	bility in soil

Revision nr. 5 Page n. 10 of 14

Zhermack //

Not available

- 12.5. Results of PBT and vPvB assessment
 - vPvB Substances: None PBT Substances: None
- 12.6. Endocrine disrupting properties
 - No endocrine disruptor substances present in concentration >= 0.1%

12.7. Other adverse effects

None

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information

- **14.1. UN number or ID number** Not classified as dangerous in the meaning of transport regulations.
- 14.2. UN proper shipping name Not available
- 14.3. Transport hazard class(es) Not available
- 14.4. Packing group Not available
- 14.5. Environmental hazards

 ADR-Environmental Pollutant:
 No

 IMDG-Marine pollutant:
 No
- 14.6. Special precautions for user Not available
- 14.7. Maritime transport in bulk according to IMO instruments Not Applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work) Dir. 2000/39/EC (Occupational exposure limit values) Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) n. 2020/878 Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP) Regulation (EU) n. 2015/1221 (ATP 7 CLP) Regulation (EU) n. 2016/918 (ATP 8 CLP) Regulation (EU) n. 2016/1179 (ATP 9 CLP) Regulation (EU) n. 2017/776 (ATP 10 CLP) Regulation (EU) n. 2018/669 (ATP 11 CLP) Regulation (EU) n. 2018/1480 (ATP 13 CLP) Regulation (EU) n. 2019/521 (ATP 12 CLP) Regulation (EU) n. 2020/217 (ATP 14 CLP) Regulation (EU) n. 2020/1182 (ATP 15 CLP) Regulation (EU) n. 2021/643 (ATP 16 CLP)

Revision nr. 5 Page n. 11 of 14

Zhermack 1

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: Restrictions related to the product: Restriction 3 Restriction 40 Restrictions related to the substances contained: Restriction 28 Restriction 75 SVHC Substances: Substances in candidate list (Art. 59 Reg. 1907/2006, REACH): phenolphthalein Carcinogenic Provisions related to directive EU 2012/18 (Seveso III): Seveso III category according to Annex 1, part 1 None

WGK Classification (Water hazard class - Verwaltungsvorschrift wassergefährdende Stoffe)

Lagerklasse according to TRGS 510: LGK 10: Combustible liquids

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012: None.

California Proposition 65

Substance(s) listed under California Proposition 65: Cristobalite - Listed as carcinogen phenolphthalein - Listed as carcinogen.

WARNING: This product can expose you to silica, crystalline (airborne particles of respirable size) and phenolphthalein, which are known to the State of California to cause cancer. For more information, go to www.P65Warnings.ca.gov.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture. Substances for which a Chemical Safety Assessment has been carried out: Dipotassium exafluorotitanate zinc oxide

SECTION 16: Other information

Full text of phrases referred to in Section 3:

H341 Suspected of causing genetic defects.H350 May cause cancer.H361f Suspected of damaging fertility.

Hazard class and hazard category	Code	Description
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Muta. 2	3.5/2	Germ cell mutagenicity, Category 2
Carc. 1B	3.6/1B	Carcinogenicity, Category 1B
Repr. 2	3.7/2	Reproductive toxicity, Category 2
STOT RE 1	3.9/1	Specific target organ toxicity - repeated
		exposure, Category 1

Zhermack //

STOT RE 2	3.9/2	Specific target organ toxicity - repeated exposure, Category 2
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1
Aquatic Chronic 1	4.1/C1	Chronic (long term) aquatic hazard, category 1
Aquatic Chronic 3	4.1/C3	Chronic (long term) aquatic hazard, category 3

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
STOT RE 2, H373	Calculation method
Aquatic Chronic 3, H412	Calculation method

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECHA – European Chemical Agency GESTIS - Information system on hazardous substances of the German Social Accident Insurance IARC – International Agency for Research on Cancer IPCS INCHEM – International Programme on Chemical Safety ISS – Istituto Superiore di Sanità PubChem - open chemistry database at the National Institutes of Health (NIH)

A safety data sheet is not required for this product under article 31 of Regulation 1907/2006/EC. This safety data sheet has been created on a voluntary basis.

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR: ATE: ATEmix: CAS:	European Agreement concerning the International Carriage of Dangerous Goods by Road. Acute Toxicity Estimate Acute toxicity Estimate (Mixtures) Chemical Abstracts Service (division of the American Chemical
CLP:	Society). Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.

Revision nr. 5 Page n. 13 of 14

Zhermack //

PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods
	by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.